and the second

PATTERN OF JACK PINE OCCURRENCE IN ECOSYSTEMS OF KIRTLAND'S WARBLER SUMMER HABITAT AT MACK LAKE, NORTHERN LOWER MICHIGAN

BY

Xiaoming Zou

A thesis submitted in partial fulfillment of the requirements for the degree of Master of Science in Natural Resources (Forest Resources)

in The University of Michigan

June 1988

Committee:

Professor Burton V. Barnes, Chairman Professor Gary W. Fowler

ACKNOWLEDGEMENTS

I would like to thank Nanjing Forestry University and the Ministry of Forestry, The People's Republic of China, who financed my whole education at the University of Michigan. I especially thank Dr. Burton V. Barnes for his guidance and aid in organizing and carrying out the research and for his reviewing and editing my thesis. I am grateful to Dr. Gary W. Fowler for his statistical advice and for editing my thesis. My sincere thanks go to Miss. Corinna Theiss for her assistance in the field and in the data preparation. My special thanks go to Tom Simpson, and Phil Stuart for their initiating the field work and for their consistent encouragement.

I would also like to thank the Huron-Manistee National Forest Office, US Forest Service, the Michigan Department of Natural Resources, and the Kirtland's Warbler Recovery Team for their advices, supports and assistance throughout the field seasons. Special thanks go to Sylvia Tailer and Jerry Weinrich for their generously spending time and giving information.

TABLES OF CONTENTS

ACKNOWLEDGEMENTS	ìi
LIST OF TABLES	V
LIST OF FIGURES	vii
LIST OF APPENDICES	viii
CHAPTER I. INTRODUCTION	1
Background and Problem	1
Objectives	10
CHAPTER II. STUDY AREA	11
Climate	11
Topography and Soil	15
Vegetation	17
Fire History	18
Local Landscape Ecosystem Types	19
CHAPTER III. METHODS	27
Field Sampling	27
Sampling of Variables in Landscape Ecosystem Plots	27
Sampling of Pattern of Jack Pine Occurrence	33
Statistical Analysis	34
Analysis of Pattern Types	35
Multivariate Analysis	37
CHAPTER IV. RESULTS AND DISCUSSION	39
Patterns of Jack Pine Occurrence in Selected Local Landscape	
Ecosystem Types	39
Patterns of Kirtland's Warbler Occupancy in Local Landscape	
Ecosystem types	44
Analysis of Relationships of Physical and Vegetative Factors	
to Selected Ecosystem types, Pattern of Jack Pine Occurrence	

and Occupancy by the Kirtland's Warbler	47
Analysis of Variables of Physiography-soil, Tree	
Species, and Ground-cover Vegetation Selected by	
Stepwise Discriminant Analysis	47
Relationships of Physical and Vegetative Factors to	
Local Landscape Ecosystem Types	53
Relationships of Physical and Vegetative Factors to	
the Pattern of Jack Pine Occurrence and the Occupancy	
of the Kirtland's warbler	55
Relationships of Canonical Variates to Physical and	
Vegetative Factors	58
CHAPTER V. SUMMARY AND CONCLUSIONS	66
Parkeysond Warsthamises and Objectives	
Background, Hypothesizes, and Objectives	66
Methods	68
Results and Conclusions	69
LITERATURE CITED	72
ADDENDICES	78
APPENDICES	10

LIST OF TABLES

1.1	Number of male Kirtland's warblers found in censuses from	
	1971-1987	
2.1	Local landscape ecosystem types of the Mack Lake burn	20
2.2	Mean and standard deviation of selected variables of	
	physiography, soil and ground-cover species in ecosystem	
	types of the Mack Lake burn	22
3.1	Coverage classes used in determining areal coverage of	
	species in sample plots	32
4.1	Pattern of jack pine occurrence for selected ecosystem types	
	of the Mack Lake burn	4(
4.2	Comparison of patterns of jack pine occurrence between two	
	ecosystem groups (ecosystems 1, 6, 8, and 10the "contagious"	
	group vs. ecosystems 3, 4, and 9the "random" group) and	
	among methods (Clark-Evans, Hopkins-skellam, and Pielou-	
	Mountford)	42
4.3	Distribution in 1987 of 28 male Kirtland's warblers by	
	ecosystem types at the Mack Lake burn	45
4.4	Mean and standard deviation of physiographic-soil variables	
	selected by stepwise discriminant analysis	4.8
4.5	Mean and standard deviation of tree species variables	
	selected by stepwise discriminant analysis	49
4.6	Mean and standard deviation of variables of ground-cover	
	vegetation selected by stepwise discriminant analysis	51
4.7	Variables associated with ecosystem type, jack pine occurrence,	
	and the occupancy of the warbler in 1987 determined by one-way	
	ANOVA and Duncan's multiple range test	54
4.8	Eigenvalues, cumulative proportion of evaluined	

	variance coefficients of the first three canonical variates of	
	an analysis of the first 20 principal components	61
4.9	Eigenvalues, cumulative proportion of explained variance, and	
	variable coefficients of 10 selected principal components of	
	an analysis of 56 variables of physiography-soil, tree species,	
	and ground-cover vegetation determined by stepwise discriminant	
	analysis	62

LIST OF FIGURES

Fig.	2.1	Location of the Mack Lake fire	12
Fig.	2.2	Mean minimum temperature (F°) in July based on the period 1931-52, indicating the extreme temperature in Oscoda County.	13
Fig.	2.3	Major landscape forms in the Mack Lake burn, Oscoda County, Michigan, showing low-level outwash plain and high-level outwash terraces and ice-contact terrain	16
Fig.	3.1	Plot outline used to sample vegetation and patterns of jack pine occurrence in the Mack Lake burn	29